

ПЕРЕЛІК ПОСИЛАНЬ

- [1] I. Guy, N. Zwerdling, D. Carmel, I. Ronen, E. Uziel, S. Yogev, and S. OfekKoifman, “Personalized recommendation of social software items based on social relations,” in *ACM RecSys '09*, pp. 53–60, ACM, 2009.
- [2] J. Canny, “Collaborative filtering with privacy,” in *IEEE Symposium on Security and Privacy 2002*, pp. 45–57, IEEE Computer Society, 2002.
- [3] J. Canny, “Collaborative filtering with privacy via factor analysis,” in *ACM SIGIR '02*, pp. 238–245, ACM, 2002.
- [4] Li, H., Cai, F., & Liao, Z. “Content-Based Filtering Recommendation Algorithm Using HMM,” in *2012 Fourth International Conference on Computational and Information Sciences*. pp. 275-277, 2012.
- [5] Y. H. Chien and E. I. George, “A bayesian model for collaborative filtering,” in *7th International Workshop on Artificial Intelligence and Statistics*, 1999.
- [6] Wu, J., Ping, L., Ge, X., Wang, Y., & Fu, J., “Cloud Storage as the Infrastructure of Cloud Computing,” in International Conference on Intelligent Computing and Cognitive Informatics, pp. 380-383, 2010.
- [7] N. J. Nilsson, Introduction to Machine Learning. Unpublished draft, Department of Computer Science, Stanford University 1996.
- [8] D. Cosley, S. K. Lam, I. Albert, J. A, Konstan, and J. Riedl, “Is seeing believing? How recommender system interfaces affect users’ opinions,” in *ACM CHI 03*, pp. 585–592, ACM, 2003.
- [9] LeCun, Y., Bengio, Y. & Hinton, G, “Deep learning,” in *Nature* 521, 436–444 (2015).
- [10] S. Deerwester, S. T. Dumais, G. W. Furnas, T. K. Landauer, and R. Harshman, “Indexing by latent semantic analysis,” *Journal of the American Society for Information Science*, vol. 41, no. 6, pp. 391–407, 1990.
- [11] A. P. Dempster, N. M. Laird, and D. B. Rubin, “Maximum likelihood from incomplete data via the EM algorithm,” *Journal of the Royal Statistical Society. Series B (Methodological)*, vol. 39, no. 1, pp. 1–38, Article Type: research-

article/Full publication date: 1977/Copyright ©1977 Royal Statistical Society,
January 1977.

- [12] Gomez-Uribe, C. A., & Hunt, N, The Netflix Recommender System. ACM Transactions on Management Information Systems, 6(4), pp. 1–19 2015.
- [13] Davidson, J., Livingston, B., Sampath, D., Liebald, B., Liu, J., Nandy, P., Lambert, M. The YouTube video recommendation system, in *Proceedings of the Fourth ACM Conference on Recommender Systems*, 10, 2010.
- [14] Dorador, J. M., & Young, R. I. M. (2000). Application of IDEF0, IDEF3 and UML methodologies in the creation of information models. International Journal of Computer Integrated Manufacturing, 13(5), 430–445.
- [15] Ang, C. L., Luo, M., Khoo, L. P., & Gay, R. K. L. (1997). A knowledge-based approach to the generation of IDEF0 models. International Journal of Production Research, 35(5), 1385–1412. doi:10.1080/002075497195380
- [16] Cattell, R., Scalable SQL and NoSQL data stores. ACM SIGMOD Record, 39(4), 12, 2011.
- [17] Almeida, R., Furtado, P., & Bernardino, J. (2008). Performance Evaluation MySQL InnoDB and Microsoft SQL Server 2012 for Decision Support Environments. Proceedings of the Eighth International C Conference on Computer Science & Software Engineering - C3S2E, '15. doi:10.1145/2790798.2790808
- [18] Jonathan L. Herlocker, Joseph A. Konstan, and John Riedl Explaining Collaborative Filtering Recommendations Dept. of Computer Science and Engineering University of Minnesota Minneapolis, MN 55112 USA.
- [19] Desrosiers C., and Karypis G, A Comprehensive Survey of Neighborhood-based Recommendation Methods, Chapter 4.
- [20] Peake, G., & Wang, J., Explanation Mining. Proceedings of the 24th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining - KDD '18, 2018.
- [21] Meteren R. and Someren M. Using Content-Based Filtering for Recommendation in Gerard Brandtstraat, pp 26-28.

- [22] B. Fields, C. Rhodes, and M. d’Inverno, “Using song social tags and topic models to describe and compare playlists,” in *Workshop on Music Recommendation and Discovery 2010*, 633, CEUR, September 2010
- [23] Golbeck, “Generating predictive movie recommendations from trust in social networks,” in *International Conference on Trust Management*, vol. 3986 of *Lecture Notes in Computer Science*, pp. 93–104, Springer, 2006
- [24] Badrul Sarwar, George Karypis, Joseph Konstan, and John Ried Item-Based Collaborative Filtering Recommendation Algorithms Item-Based Collaborative Filtering Recommendation Algorithms
- [25] D. Goldberg, D. Nichols, B. M. Oki, and D. Terry, “Using collaborative filtering to weave an information tapestry,” *Communications of the ACM*, vol. 35, no. 12, pp. 61–70, 1992.
- [26] D. L. Hansen and J. Golbeck, “Mixing it up: Recommending collections of items,” in *ACM CHI ’09*, pp. 1217–1226, ACM, 2009.
- [27] J. Herlocker, J. A. Konstan, and J. Riedl, “An empirical analysis of design choices in neighborhood-based collaborative filtering algorithms,” *Information Retrieval*, vol. 5, no. 4, pp. 287–310, 2002.
- [28] K. Karvonen, S. Shibasaki, S. Nunes, P. Kaur, and O. Immonen, “Visual nudges for enhancing the use and produce of reputation information,” in *Workshop on User-Centric Evaluation of Recommender Systems and Their Interfaces*, September 2010.
- [29] B. Kitts, D. Freed, and M. Vrieze, “Cross-sell: A fast promotion-tunable customer-item recommendation method based on conditionally independent probabilities,” in *ACM KDD ’00*, pp. 437–446, ACM, 2000.
- [30] R. Kohavi, R. Longbotham, D. Sommerfield, and R. M. Henne, “Controlled experiments on the web: Survey and practical guide,” *Data Mining and Knowledge Discovery*, vol. 18, no. 1, pp. 140–181, 2008.
- [31] Ma, J., Sheridan, R. P., Liaw, A., Dahl, G. E. & Svetnik, V. Deep neural nets as a method for quantitative structure-activity relationships. *J. Chem. Inf. Model.* 55, 263–274 (2015).

- [32] Mikolov, T., Deoras, A., Povey, D., Burget, L. & Cernocky, J. Strategies for training large scale neural network language models. In *Proc. Automatic Speech Recognition and Understanding* 196–201 (2011).
- [33] Glorot, X., Bordes, A. & Bengio. Y. Deep sparse rectifier neural networks. In Proc. 14th International Conference on Artificial Intelligence and Statistics 315–323 (2011).
- [34] He, X., Liao, L., Zhang, H., Nie, L., Hu, X., & Chua, T.-S. (2017). Neural Collaborative Filtering. Proceedings of the 26th International Conference on World Wide Web - WWW '17.
- [35] Prem M., Raymond J. and Ramadass N., Content-Boosted Collaborative Filtering for Improved Recommendations in Department of Computer Sciences, University of Texas, Austin, TX 78712.
- [36] Cai, Y., Leung, H., Li, Q., Min, H., Tang, J., & Li, J. (2014). Typicality-Based Collaborative Filtering Recommendation. *IEEE Transactions on Knowledge and Data Engineering*, 26(3), 766–779.
- [37] Benesty J., Chen J., Huang Y., Cohen I. (2009) Pearson Correlation Coefficient. In: Noise Reduction in Speech Processing. Springer Topics in Signal Processing, vol 2. Springer, Berlin, Heidelberg.
- [38] P. Lytvak and I. Kochubey, “Application of MAI to solve the problem of choosing an algorithm of the system of forming proposals to bookstore users,” in Aktuelle Themen im Kontext der Entwicklung der modernen Wissenschaften, Dresden, Germany, 2019, pp. 62-68.
- [39] Cook, W. D., 2006. Distance-based and ad hoc consensus models in ordinal preference ranking. *European Journal of Operational Research* 172 (2), 369-385.
- [40] Б. Г. Литвак, *Экспертная информация: методы получения и анализа: монография*. Москва, Россия: ИЦПКПС, 2009.
- [41] S. Amodio, A. D'Ambrosio, R. Siciliano, “Accurate algorithms for identifying the median ranking when dealing with weak and partial rankings under the

Kemeny axiomatic approach," *Journal of Operational Research*, vol. 249, pp. 667–676, 2015.

doi:10.1016/j.ejor.2015.08.048

- [42] A. Alnur, M. Meila, "Experiments with Kemeny Ranking: What Works When?," *Mathematical Social Sciences*, vol. 64, pp. 28-40, 2012.
doi:10.1016/j.mathsocsci.2011.08.008.

- [43] О.С. Жураковська, І.Ю. Кочубей, «Використання медіани Кемені в алгоритмі формування рекомендацій», *Системні дослідження та інформаційні технології*, 2020.